This listing of claims will replace all prior versions, and listings of claims in the application:

Claims 1-21. (Canceled)

- 22. (Currently Amended) An absorbent insert for a packaging, comprising:
- a top covering layer; and
- a bottom covering layer; and
- a core which absorbs an aqueous liquid and includes comprises an absorbent polymer;

wherein the said absorbent polymer has been obtained from a partially neutralized

ethylenically unsaturated monomer containing an acid group and a crosslinker; and

wherein said absorbent polymer has a quotient Q_{SAP 0.3} calculated from retention and absorption under a pressure of 0,3 psi (21-g/cm²) and from an amount of a soluble ratio of at least 20 and a retention of at least 22 g/g.

- 23. (Previously Presented) The absorbent insert of Claim 22, wherein the polymer has a $Q_{SAP 0,3}$ of at least 30.
- 24. (Previously Presented) The absorbent insert according to Claim 22, wherein the absorbent polymer has a retention of at least 25 g/g.
- 25. (Previously Presented) The absorbent insert according to Claim 22, wherein the absorbent polymer has an absorption under pressure of at least 15 g/g.

Reply to the Office Action dated: February 24, 2005

26. (Previously Presented) The absorbent insert according to Claim 22, wherein the soluble ratio of the absorbent polymer is 3.5 wt.-%.

- 27. (Previously Presented) The absorbent insert according to Claim 22, wherein having a migration value of ≤ 15 mg/g.
- 28. (Currently Amended) The absorbent insert according to Claims 22, wherein the said top covering layer and said bottom covering layer independently comprise a plastic film, or a cellulose film, a fabric or a fleece; and

at least one part of said top covering layer and said bottom the covering layer film is permeable to water or an aqueous liquid as a result of a perforation.

29. (Currently Amended) <u>The Absorbent absorbent insert according to Claim 22</u>, wherein the <u>said core comprises a fleece</u>, a fiber[[,]] <u>or</u> a fabric; <u>and</u>

wherein the polymer absorbing an aqueous liquid is dispersed in said core and optionally fixed.

- 30. (Currently Amended) The Absorbent absorbent insert according to Claim 29, wherein the said core has an arrangement in of layers of the absorbent polymer part within the core of said fiber and or fabric.
- 31. (Currently Amended) <u>The Absorbent absorbent insert according to Claim 29 or</u> 30, wherein the fiber is a hollow fiber.

Reply to the Office Action dated: February 24, 2005

32. (Currently Amended) The Absorbent absorbent insert according to Claim 22, wherein the absorbent polymer is made from

(A) a partially neutralized monoethylenically unsaturated monomer containing an acid group and,;

(B) optionally another monomer copolymerizable therewith with monomer (A);
wherein the absorbent polymer is further made from (C) a crosslinker; and
(D) as well as optionally a polymer optionally serving suitable as graft basis.

- 33. (Currently Amended) The Absorbent absorbent insert according to Claim 32, wherein said unsaturated monomer containing an acid group is selected from the group consisting of an acrylic acid, a methacrylic acid, vinylacetic acid, vinyl sulfonic acid, (meth)allylsulfonic acid, maleic acid, 2-acrylamido-2-methylpropanesulfonic acid and a mixture mixtures thereof.
- 34. (Currently Amended) A method of packaging foodstuff, comprising:

 packaging a foodstuff in a package captaining comprising the absorbent insert for a

 package, comprising which comprises (a) a top covering layer, (b) and a bottom covering

 layer, and (c) a core which absorbs an aqueous liquid and includes comprises an absorbent

 polymer;

wherein the absorbent polymer <u>has been obtained from a partially neutralized</u>
ethylenically unsaturated monomer containing an acid group and a crosslinker; and

wherein said absorbent polymer has a quotient $Q_{SAP\ 0,3}$ calculated from retention and absorption under a pressure of 0,3 psi (21 g/cm^2) and from the amount of soluble ratio of at least 20 and a retention of at least 22 g/g.

Reply to the Office Action dated: February 24, 2005

35. (Currently Amended) A method of making an ice for a packaging application, comprising:

- (a) providing an absorbent insert for a packaging, comprising (a) a top covering layer, and (b) a bottom covering layer, and (c) a core which absorbs an aqueous liquid and includes comprises an absorbent polymer, wherein the absorbent polymer has been obtained from a partially neutralized ethylenically unsaturated monomer containing an acid group and a crosslinker; and wherein said absorbent polymer has a quotient Q_{SAP 0,3} calculated from retention and absorption under a pressure of 0,3 psi (21-g/cm²) and from the amount of soluble ratio of at least 20 and a retention of at least 22 g/g;
 - (b) soaking said absorbent insert in water, thereby obtaining a soaked insert; and
 - (c) freezing the soaked insert.

Reply to the Office Action dated: February 24, 2005

BASIS FOR THE AMENDMENT

The claims have been amended to correct minor informalities.

No new matter is believed to have been added by entry of this amendment. Entry and favorable reconsideration are respectfully requested.

Upon entry of this amendment Claims 22-35 will now be active in this application.